


## AUTOMATIC HAND DRYER

### GSX - 2000



#### SPECIFICATIONS

- Single blower with Infrared Sensor
- Elegant look creates more impressive bathroom
- Drying hands in 20 - 25 Seconds
- Body is of Aluminum alloy die casting with white fire resistant coating
- Voltage : 230V - 50Hz / Single Phase
- Power : 1600W
- Air blowing volume : 162m<sup>3</sup>/h
- Air Speed : 11m/S
- Dimensions : H 206 x W 268 x D 150mm
- Unit Weight : 3.4 kg




## AUTOMATIC HAND DRYER

### GSX - 2000A



#### SPECIFICATIONS

- Single blower with Infrared Sensor
- Elegant look creates more impressive bathroom
- Drying hands in 20 - 25 Seconds
- Body is of Aluminum alloy die casting with white fire resistant coating
- Voltage : 230V - 50Hz / Single Phase
- Power : 2000W
- Air blowing volume : 162m<sup>3</sup>/h
- Air Speed : 11m/S
- Dimensions : H 228 x W 277 x D 150mm
- Unit Weight : 3.5 kg



Marketed by

(A Unit of Kalpi Engineers Pvt. Ltd.)



Authorized Dealer:  
 M/S APEX Sanitech Systems,  
 No.1025 - 21st Street, Mahuru colony/Vengaloor, Chennai - 600 014, Tamilnadu, India  
 Tele Fax: 244-4556081, C. cell: 9840300698  
 E. mail: apex\_chennai69@yahoo.co.in, www.apexchennai.com

## AUTOMATIC HAND DRYER

### **C - 831A**

#### **SPECIFICATIONS**

- White ABS plastic body
- Suitable for Pharmaceutical Laboratories, Five star hotels, Hospitals
- Voltage : 230V / Single Phase
- Power : 2200W
- Air blowing volume : 90m<sup>3</sup>/h
- Air Speed : 15m/S
- Dimensions : H 220 x W 240 x D 230 mm
- Unit Weight : 2.3 kg





## AUTOMATIC HAND DRYER

### **Y - 9022A**

#### **SPECIFICATIONS**

- Single blower with Infrared Sensor
- Elegant look creates more impressive bathroom
- High speed motor, drying hands quickly, low noise, energy saving,
- Body is of ABS plastic, safe, elegant, new design, ornamental, exquisite
- Voltage : 230V - 50Hz / Single Phase
- Power : 1400W
- Air blowing volume : 88m<sup>3</sup>/h
- Air Speed : 14.5m/S
- Dimensions : H 195 x W 265 x D 155 mm
- Unit Weight : 2.75 kg



Marketed by

(A Unit of Kalpi Engineers Pvt. Ltd.)


Authorized Dealer:  
 M/S APEX Sanitech Systems,  
 No.1025 - 21st Street, Nahuru colony/Nanganallur, Chennai - 600 014, Tamilnadu, India  
 Tele/Fax: 244-45560011, C-Cell: 9840300056  
 E-mail: apex\_chennai69@yahoo.co.in, www.apexchennai.com

## AUTOMATIC HAND AND HAIR DRYER

### MGQ - 120

#### SPECIFICATIONS

- Combine hand and hair dryer into one compact design
- Powerful long lasting motor, auto switch for hand & hair function
- Compact ABS plastic casing with a beautiful design
- High speed motor, drying hands quickly, low noise, energy saving
- Voltage : 230V - 50Hz / Single Phase
- Power : 1200W
- Air blowing volume : 71m<sup>3</sup>/h
- Air Speed : 13m/S
- Dimensions : H 185 x W 250 x D 145 mm
- Unit Weight : 1.7 kg




## AUTOMATIC HAIR & BODY DRYER

### GDC - 700B

#### SPECIFICATIONS

- With shaver socket and wind control knob
- 15-minute auto timer and mica heating element support
- Strong waterproof construction
- Turbo design and easy wall mount
- Voltage : 230V - 50Hz / Single Phase
- Power : 700W
- Air blowing volume : 32m<sup>3</sup>/h
- Air speed : 10m/S
- Unit weight : 2.2 kg
- Dimensions : H 600 x W 200 x D 90 mm



Marketed by

(A Unit of Kalpi Engineers Pvt. Ltd.)

Authorized Dealer:  
 M/S APEX Sanitech Systems,  
 No.1025 - 21st Street, Mahuru colony/Nanganallur, Chennai - 600 014, Tamilnadu, India  
 Tele Fax: 044-45560601, C. cell: 9840300696  
 E. mail: apex\_chennai69@yahoo.co.in, www.apexchennai.com


## AUTOMATIC HAND & FACE DRYER

### HK - 2400 SA



#### SPECIFICATIONS

- Stainless steel brush finish cover of 304 quality with 1.2 mm thickness
- For safety power will cut off automatically in case of irregular use over 120 seconds
- Dimensions : H 248 x W 284 x D 202 mm
- Brush Motor : 200W, 5500 RPM, designed with 105°C thermostat
- Heating assembly : designed with 65°C thermostat
- Sound level : 73 ± 3 db
- Air speed : 345 m<sup>3</sup> / hour (202 CFM)
- Nozzel : Chrome plated zinc, with 360° rotation
- Power : 2.4 KW / 230 V / Single Phase / 20 Amp
- Weight : 5.5 kg




## AUTOMATIC HAND DRYER

### HK - 1600 MA



#### SPECIFICATIONS

- Single blower with Infrared Sensor,
- High speed motor, drying hands quickly, low noise, energy saving,
- Zinc die cast metal body cover with white powder coating
- Dimensions : H 163 x W 290 x D 216 mm
- Motor : 100W, 2850 RPM
- Power : 1.6 KW
- Voltage : 230 V / Single Phase



Marketed by

(A Unit of Kalpi Engineers Pvt. Ltd.)

Authorized Dealer:  
 M/S APEX Sanitech Systems,  
 No.1025 - 21st Street, Mahuru colony / Nanganallur, Chennai - 600 014, Tamilnadu, India  
 Tele Fax: 244 45560081, C. cell: 9840300098  
 E. mail: apex\_chennai69@yahoo.co.in, www.apexchennai.com

## AUTOMATIC TWIN BLOWER HAND DRYER



**GSQ - 215 (SB)**  
STAINLESS STEEL BRUSH FINISH




**GSQ - 215 (W)**  
WHITE POWDER COATING FINISH

### GSQ - 215 (SB)

### GSQ - 215 (W)

#### SPECIFICATIONS

- Twin blower with Infrared Sensor
- Big blowing volume, powerful blowing rate
- Drying hands in 20 - 25 Seconds
- Depth of 100mm gives artistic look
- Body is of Zinc die casting available in **Stainless steel Brush finish** and **White powder coating finish**
- Voltage : 230V - 50Hz / Single Phase
- Power : 2150W
- Air blowing volume : 338m<sup>3</sup>/h
- Air Speed : 18m/S
- Dimensions : H 233 x W 343 x D 100 mm
- Unit Weight : 4.6 kg



Marketed by

(A Unit of Kalpi Engineers Pvt. Ltd.)

Authorized Dealer:  
 M/S APEX Sanitech Systems,  
 No.1025 - 21st Street, Mahuru colony/Vanganallur, Chennai - 600 014, Tamilnadu, India  
 Tele/Fax: 244-4556081, C-Cell: 9840200696  
 E-mail: apex\_chennai69@yahoo.co.in, www.apexchennai.com

## AUTOMATIC HAND & FACE DRYER



**GSQ - 250(SB)**  
STAINLESS STEEL BRUSH FINISH




**GSQ - 250(W)**  
WHITE POWDER COATING FINISH

### GSQ - 250(SB)

### GSQ - 250(W)

#### SPECIFICATIONS

- Single blower with Infrared Sensor
- Big blowing volume, powerful blowing rate
- Drying hands in 20-25 Seconds
- High speed motor, durable & vandal resistance
- Body is of Zinc die casting available in Stainless steel Brush finish and White powder coating finish
- Chrome plated zinc nozzle with 360° rotation
- Voltage : 230V - 50Hz / Single Phase
- Power : 2500W
- Air blowing volume : 270m<sup>3</sup>/h
- Air Speed : 30m/S
- Dimensions : H240 x W270 x D200mm
- Unit Weight : 6.0 kg



Marketed by

(A Unit of Kalpi Engineers Pvt. Ltd.)


Authorized Dealer:  
 MIS APEX Sanitech Systems,  
 No.1025 - 21st Street, Mahuru colony/Vengaluru, Chennai - 600 014, Tamilnadu, India  
 Tele/Fax: 044-45560081, C-Cell: 9840300098  
 E-mail: apex\_chennai69@yahoo.co.in, www.apexchennai.com

## AUTOMATIC TWIN JET HAND DRYER

### GSQ - 70A

#### SPECIFICATIONS

- Wide LCD display
- High speed brush less DC motor to produce JET air flow
- Drying hands in 06-12 Seconds
- Wattage is 1/3rd as compared to hand dryers available in the market
- Suitable for Pharmaceutical Laboratories, Five star hotels, Hospitals
- Voltage : 230V - 50Hz / Single Phase
- Power : 850W
- Air blowing volume : 150m<sup>3</sup>/h
- Air Speed : 86m/S
- Dimensions : H 650 x W 292 x D 250 mm
- Unit Weight : 13.1 kg



## AUTOMATIC HAND / FOOT JET DRYER

### Y - 9012A

#### SPECIFICATIONS



- White ABS plastic body with / without water drainage tray
- High speed brush less DC motor to produce JET air flow
- Drying hands in 20-25 Seconds
- Suitable for Pharmaceutical Laboratories, Five star hotels, Hospitals
- It can be used effectively as FOOT DRYER due to its JET air flow
- Voltage : 230V / Single Phase / Power : 1000W
- Air blowing volume : 100m<sup>3</sup>/h
- Air Speed : 80m/S
- Dimensions : H 520 x W 252 x D 180 mm  
H 270 x W 252 x D 180 mm
- Unit Weight : 4.40 kg / 3.40 kg



With water  
drainage tray



Without water  
drainage tray



Marketed by

(A Unit of Kalpi Engineers Pvt. Ltd.)

Authorized Dealer:  
 M/S APEX Sanitech Systems,  
 No.1025 - 21st Street, Nallur colony/Nanganallur, Chennai - 600 014, Tamilnadu, India  
 Tel: 844-4556061, C: 9840000696  
 E: mail: apex\_chennai69@yahoo.co.in, www.apexchennai.com